




SELF SERVICE KIOSK

SERVICE YOUR CUSTOMERS QUICKER AND EASIER WITH THE ALL-IN-ONE SELF-SERVICE KIOSK


The TOPAZ Self Service Kiosk, strives to benefit both your business and the customer. With the all-in-one self-service kiosk, customers can order and checkout quicker and easier then ever before, freeing up your employees to focus more on customer service.

The Self-Service Kiosk has been designed to fit in with a range of retail establishments with the use of the 10 point touch screen display, integrated printer and space for an integrated card reader. Take full advantage of the QR Code reader, with special offers or pre-paid for services.

TYPICAL DIGITAL SIGNAGE SOLUTION



ALL INCLUSIVE SOLUTION



PRODUCT HIGHLIGHTS

10 POINT P-CAP MULTI TOUCH

With 10 simultaneous touch points these displays may be small but enable maximum interaction with your customers. With stunning responsiveness, the P-CAP touch technology puts your information at your customers fingertips

INTEGRATED QR CODE READER

The in-built QR Code reader can be used in conjunction with purchases, you will be able to take full advantage of using special offers or pre-paid for services.

24/7 USAGE

The TOPAZ Self Service Kiosk has been designed to be used 24/7, as more and more retail establishments are now 24/7 we built the Self Service Kiosk to coincide with this.

BUILT-IN WIFI

The P-CAP interactive Series Screens have integrated Wi-Fi enabling you to connect seamlessly to the Internet without the need to run any cables!

BUILT IN INTEL POWERED PC

With a built in Windows computer these screens require no additional hardware if you are displaying a website or have an Android compatible app.



SELF-SERVICE KIOSK



TOPAZ SELF SERVICE KIOSK - TECHNICAL SPECIFICATIONS

PANEL	DISPLAY SIZE	27"
	RESOLUTION	1080 x 1920
	DISPLAY AREA(MM)	366 x 598
	PIXEL PITCH(MM)	0.3114x0.3114
	ASPECT RATIO	16:9
	VIEWING ANGLE	178°
	COLOUR	16.7M
	CONTRAST RATIO	5000:1
	BRIGHTNESS (CD/M²)	350
	RESPONSE TIME	5ms
	LIFESPAN(HOURS)	70,000
TOUCH	TOUCH TECHNOLOGY	Projected Capacitive
	TOUCH POINTS	10
	GLASS HARDNESS	6H minimum
AUDIO	SPEAKERS	8Ω, 5W x 2
POWER	POWER CONSUMPTION (W)	48
	POWER INPUT	AC110~240V (50Hz~60Hz)
MECHANICAL	UNIT SIZE (WXHxD MM)	462x1075x192.4
	PACKAGE SIZE (WXHxD MM)	1155x560x265
	MOUNTING HOLES (MM)	350x900
	NET WEIGHT (KG)	41
	GROSS WEIGHT (KG)	45
ENVIRONMENTAL	OPERATING TEMPERATURE	0°C to 50°C
	STORAGE TEMPERATURE	-30°C to 60°C
	OPERATING HUMIDITY	10% to 80%
	STORAGE HUMIDITY	5% to 95%
COMPUTER	CPU	Intel Core i5-8259U (2.3GHz (3.8GHz Boost) Quad Core)
	RAM	8GB DDR4 (2666MHz Expandable to 32GB Dual Slot)
	HARD DRIVE/INTERNAL MEMORY	256GB M.2 SSD
	LAN	10/100/1000 Ethernet
	WI-FI	Dual-Band 5GHz/2.4GHz 802.11n/ac
	OS	Windows 7, Windows 8, Windows 10, Linux (licence purchased separately)

TPZ-SSK-27

